Fluid Phase Equilibria, 67 (1991) 285–286
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 67 (1991)

Volume 67

Phase behaviour of hydrocarbon–water systems from a simple lattice-fluid equation of state
M. Yu and J. de Swaan Arons (Delft, The Netherlands) 1– 14

Monte Carlo simulation of ternary Lennard-Jones dense fluids with different molecular sizes and interaction energies
W. Wang (Lyngby, Denmark) and H. Liang (Beijing, People's Republic of China) 15– 30

Equation-of-state mixing rules for multicomponent mixtures: the problem of invariance
P.M. Mathias, H.C. Klotz and J.M. Prausnitz (Allentown, PA, USA) 31– 44

Gas–liquid critical temperatures of mixtures of propane, butane, pentane, sulfur hexafluoride, dichlorodifluoromethane and chlorotrifluoromethane with less volatile compounds of a range of varying polarities
G. Christou and C.L. Young (Parkville, Vic., Australia) and P. Svejda (Bochum, Germany) 45– 53

A semi-analytic approach to thermodynamic properties of ethane in the liquid phase and in the liquid–gas phase-transition regions
M. Paz Benavides and A. Toro-Labbé (Santiago, Chile) 55– 64

Binary liquid–liquid equilibria from a double-lattice model
Y. Hu and H. Liu (Shanghai, People's Republic of China), D.S. Soane and J.M. Prausnitz (Berkeley, CA, USA) 65– 86

A simple equation of state for non-polar gases
G.A. Iglesias-Silva and F. Kohler (Bochum, Germany) 87– 98

Equations of state: how to reconcile flexible mixing rules, the virial coefficient constraint and the "Michelsen–Kistenmacher syndrome" for multicomponent systems
J. Schwartzentruber and H. Renon (Paris, France) 99–110

Correlation of thermophysical properties of halogenated refrigerants
M.J. Lee and Y.L. Chao (Taipei, Taiwan) 111–125

Equations of state from generalized perturbation theory. Part II. The Lennard-Jones fluid
G.M. Sowers and S.I. Sandler (Newark, DE, USA) 127–150

Phase equilibria and chemical potentials in infinite dilution of non-ideal fluid mixtures from perturbation theory
K.P. Shukla (Houston, TX, USA) 151–171

Liquid volumetric behavior and phase equilibrium calculations by a hard-sphere three-parameter equation of state
P. Li, X.-Y. Zheng and J.-F. Lin (Dalian, People's Republic of China) 173–195

Vapor pressure measurements of aqueous *N*-methyldiethanolamine solutions
S. Xu, S. Qing, Z. Zhen and C. Zhang (Shanghai, People's Republic of China) and J.J. Carroll (Edmonton, Alta., Canada) 197–201

Saturated liquid densities and bubble point pressures of the ternary HCFC-22/HFC-152a/HCFC-142b system
Y. Maezawa, J.V. Widiatmo, H. Sato and K. Watanabe (Yokohama, Japan) . 203–212

Solubilities of ethanol, 1-propanol, 2-propanol and 1-butanol in supercritical carbon dioxide at 313 K and 333 K
T. Suzuki, N. Tsuge and K. Nagahama (Tokyo, Japan) 213–226

Saturated liquid densities of 2,2-dichloro-1,1,1-trifluoroethane (HCFC-123), 1,2-dichloro-1,2,2-trifluorethane (HCFC-123*a*), 1,1,1,2-tetrafluoroethane (HFC-134*a*) and 1,1,1-trifluoroethane (HFC-143*a*)
C. Yokoyama and S. Takahashi (Sendai, Japan) 227–240

Excess volumes of binary liquid mixtures of *n*-alkanols and cycloalkanols with *n*-alkanes and the theoretical treatment using the ERAS-model
H. Kaur, N.S. Samra and B.S. Mahl (Ludhiana, India), J.R. Khurma (Amritsar, India), M. Bender and A. Heintz (Heidelberg, Germany) 241–257

Phase behaviour of 1-alkanol + alkane mixtures: gas–liquid critical temperatures
G. Christou, R.J. Sadus and C.L. Young (Parkville, Vic., Australia) 259–271

Short Communication

Phase equilibria of simple real fluid mixtures from perturbation theory
K.P. Shukla (Houston, TX, USA) 273–282

Author Index 283
Contents of Volume 67 (1991) 285–286